

CORDLESS DRIVER-DRILLS



MODEL 6223DWE



3/8" CORDLESS DRIVER-DRILL KIT
Variable Speed,
Reversible

Compact, lightweight and easy to use 12V design. Compact size with overall length of only 8". Weighs only 3.3 lbs. Keyless chuck for fast and easy bit changes. 6 torque settings. Electric brake stops chuck quickly. Variable speed 0-700 RPM. Includes (2) 12V batteries.

Model 6223DWE includes: 2 ea. battery (192681-5), 1 ea. keyless chuck (763102-0), Phillips/slotted bit, battery cover (414938-7), charger DC1290 (CADC1290), plastic tool case (824447-2), battery clip

MODEL 6095DWE



3/8" (10MM) CORDLESS DRIVER-DRILL
2-Speed, Variable
Speed, Reversible
9.6 Volt

2 speed gear selection plus variable speed in each range. 12 stage torque setting for diverse drilling and driving applications. Keyless chuck for fast bit installation. Electric brake. Overload protector.

Model 6095DWE includes: 2 ea. battery (632007-4), charger (CADC9700), keyless chuck (192016-0), Phillips bit, plastic tool case (824393-9)

MODEL 6333DWAE



1/2" CORDLESS DRIVER-DRILL KIT
2-Speed, Variable
Speed, Reversible

Powerful 14.4V (2Ah) battery. Compact and well balanced for easy handling. High performance "Makita" motor. Externally accessible brushes. 2-speed gear selection (0-400 RPM or 0-1300 RPM). 18 torque settings. Keyless chuck for easy bit installation. Conveniently located forward/reverse button.

Model 6333DWAE includes: 2 ea. battery (192600-1), 1 ea. keyless chuck (763127-4), Phillips/slotted bit (784614-0), battery cover (414938-7), charger DC1411, plastic tool case (824476-5)

MODEL 6313DWAE



1/2" CORDLESS DRIVER-DRILL
2-Speed, Variable
Speed, Reversible

Powerful 12V (2Ah) battery. Compact and well balanced for easy handling. High performance "Makita" motor. Externally accessible brushes. 2-speed gear selection (0-450RPM or 0-1400 RPM). 18 torque settings. Keyless chuck for easy bit installation. Conveniently located forward/reverse button. 1/2" chuck for larger bits.

Model 6313DWAE includes: 2 ea. battery (192598-2), Phillips/slotted bit (784614-0), 1 ea. keyless chuck (763127-4), charger DC1411, battery cover (414938-7), plastic tool case (824476-5)

DRILL KITS

Model 0415-21



12 VOLT, 3/8" SUPER TOUGH®

MODEL 0415-21 (KIT): VARIABLE 2-SPEED, REVERSING, 6 CLUTCH POSITIONS, EXCELLENT BALANCE

- Two finger variable speed switch
- In-line design
- Anti-slip handle grip pad
- 6 position clutch
- Two speed ranges
- Exclusive MILWAUKEE designed motor
- Planetary gear system
- Includes two 1.7 AMP/Hr Super-Tough® batteries, Super Charger II and steel carrying case

Model 0431-6



3/8" HAMMER-DRILL

MODEL 0431-6 (KIT): SUPER-TOUGH® HIGH PERFORMANCE, LONG LASTING POWER, KEYLESS CHUCKS, SUPER CHARGERS, REVERSING

- Rugged, reliable construction
- In-line pistol grip design
- Powerful, fully serviceable DC motor
- Variable speed switch with electric brake
- Features 0-600 RPM and 270 in/lb torque for larger diameter boring applications. Includes 2 Super-Tough® batteries, charger and steel carrying case

Model 0521-21



**18 VOLT POWER-PLUS™
1/2" DRIVER/DRILLS**

MODELS 0521-21 (KIT) AND 0522-21 (KIT): 20 POSITION TORQUE ADJUSTMENT, 2-SPEED; 0-450 RPM AND 0-1500 RPM

- 18 volt, 2.0 AMP/Hr, Power-Plus battery
- Power-Plus one-hour universal charger
- Powerful 18 volt motor
- Reversible battery pack
- Two speed ranges; 0-450 and 0-1500 RPM
- Variable speed switch with electric brake
- Ideal for high torque level applications
- 1/2" keyless chuck
- 20 position torque adjustment
- Comes with impact resistant carrying case
- Model 0521-21 features pistol design which allows more in-line force with the bit. Includes 1/2" pistol grip driver/drill
- Model 0522-21 features T-handle design which provides optimum balance and comfort. Includes 1/2" T-handle driver/drill

Model 0522-21






Model 6509

SAWZALL®

MODEL 6509 AND 6509-21: CUTS ANY SAWABLE MATERIAL. NO STARTING HOLE NEEDED FOR PLUNGE CUTS INTO FLOORS OR WALLS

- Adjustable pivot shoe
- Direct access to blade clamp screw
- Cord positioned for easier plunge cutting
- All ball and roller bearings
- Model 6509 features variable speed of 0- 2400 SPM, double insulated
- Model 6509-21 features heavy-duty steel Quik-Lok blade clamp for fast easy blade changes (no hex key to lose or screws to strip, blades may be clamped upside down, accepts standard 1/2" shank Sawzall blades), variable speed of 0-2400 SPM, double insulated

HIGH PERFORMANCE SUPER SAWZALL®



Model 6537-22



Model 6527-6

MODELS 6537-22 AND 6527-6: 1 1/4" BLADE STROKE, ALL BALL BEARINGS. STRONG, GLASS-FILLED NYLON HANDLES

Anti-vibration system exclusive to Super Sawzalls.

- Counter balance mechanism
- Gear protection system
- Powerful MILWAUKEE built motor
- Trigger speed control
- Dial speed selector switch
- Adjustable shoe release lever
- Pivot shoe for maximum support against work surface
- Heavy-duty tool steel wobble plate mechanism for extra long life
- Rubber boot for superior gripping and operator comfort
- Blade clamp return spring
- Model 6537-22 features 10 AMP motor, 0-3200 SPM. Includes steel Quik-Lok blade clamp, two blade pack, 8' three wire Quik-Lok cord and steel carrying case
- Model 6527-6 features heavy-duty steel Quik-Lok blade clamp system, hex key stores in boot for easy accessibility. Includes 2 blade pack, 8' three wire Quik-Lok cord and steel carrying case